

TEST REPORT

Issued to: Anucchista Krsikarana Private Limited
Basement, B-217, Sushant Lok-1,
Gurugram, Haryana, 122009

J.O. No.: FL/FA/19102023-020
ULR Code: TC5503 23 0 00062259 F
Report Date: 24/10/2023
Sample Receipt Date: 19/10/2023
Account Manager: BD Team 5
Credit Manager: Gulab Singh

Customer Provided Information:

Nature/Name of the Sample : **Watermelon**
Brand Name, if any : Sanesa Yourganic

Laboratory Provided Information:

Sample Quantity : 1x2.808kg, Polypack
Date of Performance of Test : 19th – 24th Oct, 2023
Method of Sampling : FL/SOP/B/D- 03
Sampling Picked by : Mr. Tribhuan (FARE Labs Representative) at the premises of Anucchista Krsikarana Private Limited



Analysis Report

Physical Description:- Watermelon, free from off odour.

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Chemical Analysis:				
1	Rotting	Absent	Absent	FL/SOP/FC-111
2	Coating of wax	Absent	Absent	FL/SOP/FC-43
3	Appearance	Charachteristics	Charachteristics	Visual


Reviewed By

Page 1 of 16


Authorised Signatory
D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELabs.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Anucchista Krsikarana Private Limited
Basement, B-217, Sushant Lok-1,
Gurugram, Haryana, 122009

J.O. No.: FL/FA/19102023-020
ULR Code: TC5503 23 0 00062259 F
Report Date: 24/10/2023
Sample Receipt Date: 19/10/2023
Account Manager: BD Team 5
Credit Manager: Gulab Singh

Customer Provided Information:

Nature/Name of the Sample

: Watermelon

Brand Name, if any

: Sanesa Yourganic

Laboratory Provided Information:

Sample Quantity

: 1x2.808kg, Polypack

Date of Performance of Test

: 19th - 24th Oct, 2023

Method of Sampling

: FL/SOP/B/D- 03

Sampling Picked by

: Mr. Tribhuvan (FARE Labs Representative) at the premises of Anucchista Krsikarana Private Limited



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Heavy Metals:				
1	Lead, mg/kg	ND, [LOQ-0.02]	NMT 0.1	FL/SOP/ICPMS-02
2	Copper, mg/kg	1.29	NMT 30	FL/SOP/ICPMS-02
3	Arsenic, mg/kg	ND, [LOQ-0.02]	NMT 1.1	FL/SOP/ICPMS-02
4	Tin, mg/kg	ND, [LOQ-0.05]	NMT 250	FL/SOP/ICPMS-02
5	Cadmium, mg/kg	ND, [LOQ-0.02]	NMT 0.05	FL/SOP/ICPMS-02
6	Mercury, mg/kg	ND, [LOQ-0.02]	NMT 1.0	FL/SOP/ICPMS-02
7	Methyl Mercury Calculated as element, mg/kg	ND, [LOQ-0.02]	NMT 0.25	FL/SOP/ICPMS-02
Sudan: mg/kg				
1	Sudan I	ND, [DL-5]	Not Specified	FL/SOP/HPLC-36
2	Sudan II	ND, [DL-1]	Not Specified	FL/SOP/HPLC-36
3	Sudan III	ND, [DL-5]	Not Specified	FL/SOP/HPLC-36
4	SudanIV	ND, [DL-1]	Not Specified	FL/SOP/HPLC-36

ND=Not Detected; LOQ=Limit of Quantification; NMT=Not More Than

[Signature]
Reviewed By

Page 2 of 16

[Signature]
Authorised Signatory
D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELabs.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Anucchista Krsikarana Private Limited
Basement, B-217, Sushant Lok-1,
Gurugram, Haryana, 122009

J.O. No.: FL/FA/19102023-020
ULR Code: TC5503 23 0 00062259 F
Report Date: 24/10/2023
Sample Receipt Date: 19/10/2023
Account Manager: BD Team 5
Credit Manager: Gulab Singh

Customer Provided Information:

Nature/Name of the Sample
Brand Name, if any

: **Watermelon**
: Sanesa Yourganic

Laboratory Provided Information:

Sample Quantity
Date of Performance of Test
Method of Sampling
Sampling Picked by

: 1x2.808kg, Polypack
: 19th - 24th Oct, 2023
: FL/SOP/B/D- 03
: Mr. Tribhuvan (FARE Labs Representative) at the premises of
Anucchista Krsikarana Private Limited



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
1	2,4-Dichlorophenoxy Acetic Acid	BLQ, [LOQ-0.01]	NMT 0.1	FL/SOP/LCMS/P-02
2	Abamectin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
3	Acetamiprid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
4	Aldicarb	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
5	Aldrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
6	Alpha naphthyl Acetic Acid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
7	Ametroctradin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
8	Azoxystrobin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
9	Beta Cyfluthrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
10	Bifenthrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
11	Bitertanol	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
12	Boscalid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
13	Buprofezin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
14	Captafol	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
15	Captan	BLQ, [LOQ-0.01]	NMT 0.75	FL/SOP/GCMS/P-02
16	Carbaryl	BLQ, [LOQ-0.01]	NMT 0.25	FL/SOP/LCMS/P-02
17	Carbendazim	BLQ, [LOQ-0.01]	NMT 0.25	FL/SOP/LCMS/P-02
18	Carbosulfan	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02

BLQ=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than

hmy
Reviewed By

Page 3 of 16

D Mathur
Authorized Signatory
D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELabs.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Anucchista Krsikarana Private Limited
 Basement, B-217, Sushant Lok-1,
 Gurugram, Haryana, 122009

J.O. No.: FL/FA/19102023-020
 ULR Code: TC5503 23 0 00062259 F
 Report Date: 24/10/2023
 Sample Receipt Date: 19/10/2023
 Account Manager: BD Team 5
 Credit Manager: Gulab Singh

Customer Provided Information:

Nature/Name of the Sample : **Watermelon**
 Brand Name, if any : Sanesa Yourganic

Laboratory Provided Information:

Sample Quantity : 1x2.808kg, Polypack
 Date of Performance of Test : 19th - 24th Oct, 2023
 Method of Sampling : FL/SOP/B/D- 03
 Sampling Picked by : Mr. Tribhuvan (FARE Labs Representative) at the premises of Anucchista Krsikarana Private Limited



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
19	Chlorantraniliprole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
20	Chlordane	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
21	Chlorfenapyr	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
22	Chlorfluazuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
23	Chlormequat Chloride (CCC)	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
24	Chlorothalonil	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
25	Chlorpropham	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
26	Chlorpyrifos	BLQ, [LOQ-0.01]	NMT 0.025	FL/SOP/GCMS/P-02
27	Cyantranilipole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
28	Cyazofamid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
29	Cymoxanil	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
30	Cypermethrin (sum of isomers)	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
31	D.D.T.	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
32	Deltamethrin (Decamethrin)	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
33	Diafenthiuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
34	Diazinon	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
35	Dicofol (sum of o,p' and p,p' isomers)"	BLQ, [LOQ-0.01]	NMT 0.25	FL/SOP/GCMS/P-02
36	Dieldrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02

BLQ=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than

my
 Reviewed By

Page 4 of 16

D Mathur
 Authorised Signatory
 D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELABS.
#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Anucchista Krsikarana Private Limited

Basement, B-217, Sushant Lok-1,
 Gurugram, Haryana, 122009

J.O. No.: FL/FA/19102023-020
 ULR Code: TC5503 23 0 00062259 F
 Report Date: 24/10/2023
 Sample Receipt Date: 19/10/2023
 Account Manager: BD Team 5
 Credit Manager: Gulab Singh

Customer Provided Information: #

Nature/Name of the Sample

: Watermelon

Brand Name, if any

: Sanesa Yourganic

Laboratory Provided Information:

Sample Quantity

: 1x2.808kg, Polypack

Date of Performance of Test

: 19th - 24th Oct, 2023

Method of Sampling

: FL/SOP/B/D- 03

Sampling Picked by

: Mr. Tribhuvan (FARE Labs Representative) at the premises of
 Anucchista Krsikarana Private Limited



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
37	Difenoconazole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
38	Dimethoate	BLQ, [LOQ-0.01]	NMT 0.1	FL/SOP/LCMS/P-02
39	Dimethomorph	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
40	Dinocap	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
41	Diuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
42	Dodine	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
43	Emamectin Benzoate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
44	Endosulfan	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
45	Ethephon	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
46	Ethion (Residues to be determined as ethion and its oxygen analogue and expressed as ethion)	BLQ, [LOQ-0.01]	NMT 0.1	FL/SOP/GCMS/P-02
47	Ethyl Parathion	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
48	Etoxazole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
49	Famoxadone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
50	Fenamidone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
51	Fenarimol	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
52	Fenazaquin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
53	Fenitrothion	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
54	Fenoxaprop-p-ethyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02

BLQ=Below Limit of Quantification; LOQ=Limit of Quantification; NMT=Not More Than

Reviewed By 

Authorised Signatory 
 D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARE Labs.
 #: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Anucchista Krsikarana Private Limited
Basement, B-217, Sushant Lok-1,
Gurugram, Haryana, 122009

J.O. No.: FL/FA/19102023-020
ULR Code: TC5503 23 0 00062259 F
Report Date: 24/10/2023
Sample Receipt Date: 19/10/2023
Account Manager: BD Team 5
Credit Manager: Gulab Singh

Customer Provided Information:

Nature/Name of the Sample : **Watermelon**
Brand Name, if any : Sanesa Yourganic

Laboratory Provided Information:

Sample Quantity : 1x2.808kg, Polypack
Date of Performance of Test : 19th - 24th Oct, 2023
Method of Sampling : FL/SOP/B/D- 03
Sampling Picked by : Mr. Tribhuvan (FARE Labs Representative) at the premises of Anucchista Krsikarana Private Limited



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
55	Fenpropathrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
56	Fenpyroximate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
57	Acephate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
58	Acetochlor	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
59	Atrazine	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
60	Azadirachtin-A	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
61	Azadirachtin-B	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
62	Bromopropylate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
63	Chlorfenvinphos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
64	Chlorobenzilate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
65	Edifenphos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
66	Ethoprop (Ethoprophos)	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
67	Etrifos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
68	Fenbutatin Oxide	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
69	Fenpropimorph	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
70	Flucythrinate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
71	Fludioxanil	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
72	Fenthion	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02

BLQ=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than

Reviewed By
Reviewed By

Page 6 of 16

Authorised Signatory
Authorised Signatory
D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELABS.
#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Anucchista Krsikarana Private Limited
 Basement, B-217, Sushant Lok-1,
 Gurugram, Haryana, 122009

J.O. No.: FL/FA/19102023-020
 ULR Code: TC5503 23 0 00062259 F
 Report Date: 24/10/2023
 Sample Receipt Date: 19/10/2023
 Account Manager: BD Team 5
 Credit Manager: Gulab Singh

Customer Provided Information:

Nature/Name of the Sample : **Watermelon**
 Brand Name, if any : Sanesa Yourganic

Laboratory Provided Information:

Sample Quantity : 1x2.808kg, Polypack
 Date of Performance of Test : 19th - 24th Oct, 2023
 Method of Sampling : FL/SOP/B/D- 03
 Sampling Picked by : Mr. Tribhuwan (FARE Labs Representative) at the premises
 Anucchista Krsikarana Private Limited



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
73	Fenvalerate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
74	Ferbam as CS2	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-18
75	Fipronil	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
76	Flubendiamide	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
77	Fluopicolide	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
78	Fluopyram and its metabolites	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
79	Flupyradifurone and its metabolites	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
80	Difluroacetic Acid and Difluroethylaminofuranone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
81	Flusilazole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
82	Fluxapyroxad	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
83	Forchlorfenuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
84	Formothion	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
85	Fosetyl-Al	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
86	Heptachlor	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
87	Hexaconazole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
88	Hexythiazox	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
89	Imidacloprid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
90	Indoxacarb	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02

BLQ=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than


 Reviewed By

Page 7 of 16


 Authorised Signatory
 D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELABS.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Anucchista Krsikarana Private Limited

Basement, B-217, Sushant Lok-1,
Gurugram, Haryana, 122009

J.O. No.: FL/FA/19102023-020
ULR Code: TC5503 23 0 00062259 F
Report Date: 24/10/2023
Sample Receipt Date: 19/10/2023
Account Manager: BD Team 5
Credit Manager: Gulab Singh

Customer Provided Information: #

Nature/Name of the Sample

: **Watermelon**

Brand Name, if any

: Sanesa Yourganic

Laboratory Provided Information:

Sample Quantity

: 1x2.808kg, Polypack

Date of Performance of Test

: 19th - 24th Oct, 2023

Method of Sampling

: FL/SOP/B/D- 03

Sampling Picked by

: Mr. Tribhuwan (FARE Labs Representative) at the premises of
Anucchista Krsikarana Private Limited



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
91	Iprodione	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
92	Kasugamycin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
93	Kresoxim Methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
94	Lambda cyhalothrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
95	Lindane (Gamma-HCH)	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
96	Lufenuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
97	Malathion	BLQ, [LOQ-0.01]	NMT 0.2	FL/SOP/GCMS/P-02
98	Mandipropamid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
99	Mepiquat Chloride	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
100	Metaflumizone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
101	Metalaxyl-M	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
102	Methomyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
103	Methyl Parathion	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
104	Metrafenone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
105	Metribuzin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
106	Milbemectin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
107	Monocrotophos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
108	Myclobutanil	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02

BLQ=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than

my
Reviewed By

Page 8 of 16

[Signature]
Authorized Signatory
D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELABS.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Anucchista Krsikarana Private Limited
 Basement, B-217, Sushant Lok-1,
 Gurugram, Haryana, 122009

J.O. No.: FL/FA/19102023-020
 ULR Code: TC5503 23 0 00062259 F
 Report Date: 24/10/2023
 Sample Receipt Date: 19/10/2023
 Account Manager: BD Team 5
 Credit Manager: Gulab Singh

Customer Provided Information:

Nature/Name of the Sample

: **Watermelon**

Brand Name, if any

: Sanesa Yourganic

Laboratory Provided Information:

Sample Quantity

: 1x2.808kg, Polypack

Date of Performance of Test

: 19th - 24th Oct, 2023

Method of Sampling

: FL/SOP/B/D- 03

Sampling Picked by

: Mr. Tribhuvan (FARE Labs Representative) at the premises of Anucchista Krsikarana Private Limited



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
109	Novaluron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
110	Oxydemeton-Methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
111	Oxyfluorfen	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
112	Paclbutrazol	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
113	Paraquat dichloride (Determined as Paraquatcat ions)	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
114	Penconazole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
115	Pendimethalin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
116	Phosalone	BLQ, [LOQ-0.01]	NMT 0.25	FL/SOP/GCMS/P-02
117	Phosphamidon	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
118	Picoxystrobin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
119	Prohexadione calcium	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
120	Propaquizafop	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
121	Propargite	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
122	Propineb	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
123	Pyraclostrobin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
124	Pyridalyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
125	Pyriproxyfen	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
126	Quinalphos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02

BLQ=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than

My
 Reviewed By

Page 9 of 16

D Mathur
 Authorised Signatory
 D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELabs.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Anucchista Krsikarana Private Limited
Basement, B-217, Sushant Lok-1,
Gurugram, Haryana, 122009

J.O. No.: FL/FA/19102023-020
ULR Code: TC5503 23 0 00062259 F
Report Date: 24/10/2023
Sample Receipt Date: 19/10/2023
Account Manager: BD Team 5
Credit Manager: Gulab Singh

Customer Provided Information:

Nature/Name of the Sample : **Watermelon**
Brand Name, if any : Sanesa Yourganic

Laboratory Provided Information:

Sample Quantity : 1x2.808kg, Polypack
Date of Performance of Test : 19th - 24th Oct, 2023
Method of Sampling : FL/SOP/B/D- 03
Sampling Picked by : Mr. Tribhuvan (FARE Labs Representative) at the premises of Anucchista Krsikarana Private Limited



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
127	Quisalofop ethyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
128	Simazine	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
129	Sodium Para Nitro Phenolate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
130	Spinetoram and its metabolites (Spinosyn-and Spinosyn-L)	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
131	Spinosad	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
132	Spiromesifen	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
133	Spirotetramat	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
134	Chlorpyrifos methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
135	Tecnazene	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
136	Tefluthrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
137	Tolyfluanid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
138	trans Chlordane	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
139	Transluthrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
140	trans-permethrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
141	Diflubenzuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
142	Flufenoxuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
143	Tebuconazole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
144	Tetraconazole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02

BLQ=Below Limit of Quantification; LOQ=Limit of Quantification; NMT=Not More Than


Reviewed By

Page 10 of 16


Authorised Signatory
D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELABS.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Anucchista Krsikarana Private Limited

Basement, B-217, Sushant Lok-1,
Gurugram, Haryana, 122009

J.O. No.: FL/FA/19102023-020
ULR Code: TC5503 23 0 00062259 F
Report Date: 24/10/2023
Sample Receipt Date: 19/10/2023
Account Manager: BD Team 5
Credit Manager: Gulab Singh

Customer Provided Information:

Nature/Name of the Sample : **Watermelon**
Brand Name, if any : Sanesa Yourganic

Laboratory Provided Information:

Sample Quantity : 1x2.808kg, Polypack
Date of Performance of Test : 19th - 24th Oct, 2023
Method of Sampling : FL/SOP/B/D- 03
Sampling Picked by : Mr. Tribhuwan (FARE Labs Representative) at the premises
Anucchista Krsikarana Private Limited



Analysis Report

TC-5503

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
145	Thiacloprid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
146	Thiamethoxam	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
147	Thiodicarb	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
148	Thiometon(Residues determined as thiometon its sulfoxide and sulphone expressed as thiometon)	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
149	Thiophanate-Methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
150	Tolfenpyrad	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
151	Triadimefon	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
152	Triazophos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
153	Tricyclazole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
154	Tridemorph	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
155	Trifloxystrobin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
156	Alachlor	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
157	Benfuracarb	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
158	Bentazone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
159	Butachlor	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
160	Cartap Hydrochloride	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
161	Clodinafop-propargyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
162	Dithianon	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02

BLQ=Below Limit of Quantification; LOQ=Limit of Quantification; NMT=Not More Than


Reviewed By

Page 11 of 16


Authorised Signatory
D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELabs.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Anucchista Krsikarana Private Limited
 Basement, B-217, Sushant Lok-1,
 Gurugram, Haryana, 122009

J.O. No.: FL/FA/19102023-020
 ULR Code: TC5503 23 0 00062259 F
 Report Date: 24/10/2023
 Sample Receipt Date: 19/10/2023
 Account Manager: BD Team 5
 Credit Manager: Gulab Singh

Customer Provided Information:

Nature/Name of the Sample : **Watermelon**
 Brand Name, if any : Sanesa Yourganic

Laboratory Provided Information:

Sample Quantity : 1x2.808kg, Polypack
 Date of Performance of Test : 19th - 24th Oct, 2023
 Method of Sampling : FL/SOP/B/D- 03
 Sampling Picked by : Mr. Tribhuvan (FARE Labs Representative) at the premises of Anucchista Krsikarana Private Limited



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
163	Epoxyconazole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
164	Ethofenprox (Etofenprox)	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
165	Fluazifop-p-butyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
166	Fluchloralin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
167	Flufenacet	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
168	Fenobucarb (BPMC)	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
169	Fluvalinate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
170	Halosulfuron methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
171	Haloxypop-R Methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
172	Imazamox	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
173	Iodosulfuron Methyl Sodium	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
174	Iprobenfos (Kitazin)	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
175	Isoprothiolane	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
176	Metolachlor	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
177	Oxadiargyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
178	Oxadiazon R	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
179	Trifluralin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
180	Vinclozolin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02

BLQ=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than

Reviewed By 

Page 12 of 16


 Authorised Signatory
 D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELABS.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Anucchista Krsikarana Private Limited
Basement, B-217, Sushant Lok-1,
Gurugram, Haryana, 122009

J.O. No.: FL/FA/19102023-020
ULR Code: TC5503 23 0 00062259 F
Report Date: 24/10/2023
Sample Receipt Date: 19/10/2023
Account Manager: BD Team 5
Credit Manager: Gulab Singh

Customer Provided Information:

Nature/Name of the Sample

: Watermelon

Brand Name, if any

: Sanesa Yourganic

Laboratory Provided Information:

Sample Quantity

: 1x2.808kg, Polypack

Date of Performance of Test

: 19th - 24th Oct, 2023

Method of Sampling

: FL/SOP/B/D- 03

Sampling Picked by

: Mr. Tribhuwan (FARE Labs Representative) at the premises of Anucchista Krsikarana Private Limited



TC-5503

Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
181	Azinphos-methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
182	Benalaxyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
183	Bendiocarb	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
184	Bifenazate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
185	Carboxin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
186	Clethodim	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
187	Cyromazine	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
188	Demeton-S-methyl sulphone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
189	Dichlofluanid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
190	Fluroxypyr	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
191	Hexachlorocyclo hexane and its Isomers, Alpha (a) Isomer	BLQ, [LOQ-0.01]	NMT 0.05	FL/SOP/GCMS/P-02
192	Hexachlorocyclo hexane and its Isomers, Beta (b) Isomer :	BLQ, [LOQ-0.01]	NMT 0.05	FL/SOP/GCMS/P-02
193	Hexachlorocyclo hexane and its Isomers, Delta (d) isomer:	BLQ, [LOQ-0.01]	NMT 0.05	FL/SOP/GCMS/P-02
194	Methamidophos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
195	Benomyl	BLQ, [LOQ-0.01]	NMT 0.25	FL/SOP/GCMS/P-02
196	Dithiocarbamates	BLQ, [LOQ-0.03]	NMT 0.15	FL/SOP/GCMS/P-18
197	Malic hydrazide	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
198	Fenoxyp-prop-p- ethyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02

BLQ=Below Limit of Quantification; LOQ=Limit of Quantification; NMT=Not More Than

Reviewed By

Page 13 of 16

Authorised Signatory

B Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARE Labs.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Anucchista Krsikarana Private Limited
 Basement, B-217, Sushant Lok-1,
 Gurugram, Haryana, 122009

J.O. No.: FL/FA/19102023-020
 ULR Code: TC5503 23 0 00062259 F
 Report Date: 24/10/2023
 Sample Receipt Date: 19/10/2023
 Account Manager: BD Team 5
 Credit Manager: Gulab Singh

Customer Provided Information: #

Nature/Name of the Sample : **Watermelon**
 Brand Name, if any : Sanesa Yourganic

Laboratory Provided Information:

Sample Quantity : 1x2.808kg, Polypack
 Date of Performance of Test : 19th - 24th Oct, 2023
 Method of Sampling : FL/SOP/B/D- 03
 Sampling Picked by : Mr. Tribhuwan (FARE Labs Representative) at the premises of Anucchista Krsikarana Private Limited



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
199	Glufosinate- ammonium	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
200	Chlorfenopyr	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
201	Thiachlorprid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
202	Alpha cypermethrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
203	Chlothianidin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
204	Glyphosate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
205	Linuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
206	Metalaxyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
207	Oxadiazon	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
208	Pencycuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
209	Permethrin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
210	Phenthoate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
211	Pretilachlor	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
212	Profenofos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
213	Propiconazole	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
214	Pymetrozine	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
215	Sulfosulfuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
216	Triallate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02

BLQ=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than

Reviewed By 


 Authorised Signatory
 D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELabs.
 #: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Anucchista Krsikarana Private Limited

Basement, B-217, Sushant Lok-1,
Gurugram, Haryana, 122009

J.O. No.: FL/FA/19102023-020
ULR Code: TC5503 23 0 00062259 F
Report Date: 24/10/2023
Sample Receipt Date: 19/10/2023
Account Manager: BD Team 5
Credit Manager: Gulab Singh

Customer Provided Information: #

Nature/Name of the Sample : **Watermelon**
Brand Name, if any : Sanesa Yourganic

Laboratory Provided Information:

Sample Quantity : 1x2.808kg, Polypack
Date of Performance of Test : 19th - 24th Oct, 2023
Method of Sampling : FL/SOP/B/D- 03
Sampling Picked by : Mr. Tribhuwan (FARE Labs Representative) at the premises of Anucchista Krsikarana Private Limited



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
218	Validamycin	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
219	Tembotrione	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
220	Propanil	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
221	Topramezone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
222	Carbofuran	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
223	Capafol	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
224	Inorganic Bromide as Bromide	BLQ, [LOQ-0.05]	NMT 1.5	FL/SOP/Pest-06

BLQ=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than

my
Reviewed By

[Signature]
Authorised Signatory
D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELABS.
#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Anucchista Krsikarana Private Limited

Basement, B-217, Sushant Lok-1,
 Gurugram, Haryana, 122009

J.O. No.: FL/FA/19102023-020
 ULR Code: TC5503 23 0 00062259 F
 Report Date: 24/10/2023
 Sample Receipt Date: 19/10/2023
 Account Manager: BD Team 5
 Credit Manager: Gulab Singh

Customer Provided Information: #

Nature/Name of the Sample : **Watermelon**
 Brand Name, if any : Sanesa Yourganic

Laboratory Provided Information:

Sample Quantity : 1x2.808kg, Polypack
 Date of Performance of Test : 19th - 24th Oct, 2023
 Method of Sampling : FL/SOP/B/D- 03
 Sampling Picked by : Mr. Tribhuwan (FARE Labs Representative) at the premises of Anucchista Krsikarana Private Limited



Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
other Parameters:				
1	ETO and such isomer (2-chloroethanol)	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS-05
2	Copper Oxychloride as Elemental Copper	1.29	NMT 1	FL/SOP/ICPMS-02
3	Copper Oxide as Elemental Copper	1.29	Not Specified	FL/SOP/ICPMS-02
4	Copper Sulphate as Elemental Copper	1.29	Not Specified	FL/SOP/ICPMS-02
5	Copper Hydroxide	1.29	Not Specified	FL/SOP/ICPMS-02

BLQ=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than

Inference: The sample conforms to the requirements of Food Safety and Standards Regulation (as per MRLs provided by Jaivik Bharat for organic foods) with respect to the above tested and specified parameters.

Reviewed By

Page 16 of 16

Authorised Signatory
 D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELABS.
#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

****End of Report****

TEST REPORT

Issued to: Anucchista Krsikarana Private Limited

Basement, B-217, Sushant Lok-1,
Gurugram, Haryana, 122009

J.O. No.: FL/FA/SL/19102023-016

Report Date: 24/10/2023

Sample Receipt Date: 19/10/2023

Account Manager: BD Team 5

Credit Manager: Gulab Singh

Customer Provided Information:

Nature/Name of the Sample

: **Watermelon**

Brand Name, if any

: Sanesa Yourganic

Laboratory Provided Information:

Sample Quantity

: 1x2.808kg, Polypack

Date of Performance of Test

: 19th – 24th Oct, 2023

Method of Sampling

: FL/SOP/B/D- 03

Sampling Picked by

: Mr. Tribhuwan (FARE Labs Representative) at the premises of
Anucchista Krsikarana Private Limited

Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
1	Carbofuran (sum of carbofuran and 3-hydroxy carbofuran expressed as carbofuran)	BLQ, [LOQ-0.005]	NMT 0.005	FL/SOP/LCMS/P-02
2	Dichlorvos (DDVP)	BLQ, [LOQ-0.005]	NMT 0.005	FL/SOP/GCMS/P-02
3	Acequinocyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
4	Acifluorfen	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
5	Biphenyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
6	Mancozeb	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-18
7	Metiram as CS2	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-18
8	Phorate (sum of Phorate, its oxygen analogue and their sulphoxides and sulphones, expressed as phorate)	BLQ, [LOQ-0.005]	NMT 0.005	FL/SOP/GCMS/P-02
9	Clomazone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
10	Molinate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
11	Flufenazine	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
12	Trichlorfon	BLQ, [LOQ-0.005]	NMT 0.005	FL/SOP/LCMS/P-02
13	Ametyrn	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
14	Anilophos	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
15	Azimsulfuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
16	Bensulfuron Methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
17	Carfentrazone Ethyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
18	Carpropamid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02

BLQ=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than

Reviewed By

Page 1 of 4

Authorised Signatory
D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELabs.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Anucchista Krsikarana Private Limited

Basement, B-217, Sushant Lok-1,
Gurugram, Haryana, 122009

J.O. No.: FL/FA/SL/19102023-016

Report Date: 24/10/2023

Sample Receipt Date: 19/10/2023

Account Manager: BD Team 5

Credit Manager: Gulab Singh

Customer Provided Information: #

Nature/Name of the Sample

: **Watermelon**

Brand Name, if any

: Sanesa Yourganic

Laboratory Provided Information:

Sample Quantity

: 1x2.808kg, Polypack

Date of Performance of Test

: 19th - 24th Oct, 2023

Method of Sampling

: FL/SOP/B/D- 03

Sampling Picked by

: Mr. Tribhuvan (FARE Labs Representative) at the premises of
Anucchista Krsikarana Private Limited

Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
19	Chlorimuron ethyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
20	Cinmethylen	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
21	Cyflumetofen	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
22	Cyhalofop-butyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
23	Diclosulam	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
24	Dinotefuran	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
25	Ethoxysulfuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
26	Flucetosulfuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
27	Fonicamid	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
28	Fomesafen	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
29	Hexazinone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
30	Imazethapyr	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
31	Isoproturon	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
32	Mesosulfuron Methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
33	Methabenzthiazuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
34	Methyl Chlorophenoxy Acetic Acid (MCPA)	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
35	Metsulfuron Methyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
36	Orthosulfamuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02

BLQ=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than

My
Reviewed By

Page 2 of 4

[Signature]
Authorised Signatory
D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertains only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELABS.
#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Anucchista Krsikarana Private Limited
Basement, B-217, Sushant Lok-1,
Gurugram, Haryana, 122009

J.O. No.: FL/FA/SL/19102023-016
Report Date: 24/10/2023
Sample Receipt Date: 19/10/2023
Account Manager: BD Team 5
Credit Manager: Gulab Singh

Customer Provided Information:

Nature/Name of the Sample : **Watermelon**
Brand Name, if any : Sanesa Yourganic

Laboratory Provided Information:

Sample Quantity : 1x2.808kg, Polypack
Date of Performance of Test : 19th - 24th Oct, 2023
Method of Sampling : FL/SOP/B/D- 03
Sampling Picked by : Mr. Tribhuvan (FARE Labs Representative) at the premises of Anucchista Krsikarana Private Limited

Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
37	Azinphos-ethyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
38	Dazomet	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
39	Chromafenozide	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
40	Cinosulfuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
41	Bispyribac Sodium	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
42	Diclofop "	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-02
43	Zineb as CS2	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/GCMS/P-18
44	Penoxuslum	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
45	Pinoxaden	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
46	Pyrazosulfuron ethyl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
47	Pyriithiolac Sodium	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
48	Quizalofop-P-tefuryl	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
49	Sodium Acefloufen	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
50	Thiifuzamide	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
51	Triacantanol	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
52	Triasulfuron	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
53	Thiocyclam Hydrogen Oxalate	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
54	2,4-D Amine Salt	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02

BLQ=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than


Reviewed By

Page 3 of 4


Authorized Signatory
D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELABS.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

TEST REPORT

Issued to: Anucchista Krsikarana Private Limited

Basement, B-217, Sushant Lok-1,
Gurugram, Haryana, 122009

J.O. No.: FL/FA/SL/19102023-016

Report Date: 24/10/2023

Sample Receipt Date: 19/10/2023

Account Manager: BD Team 5

Credit Manager: Gulab Singh

Customer Provided Information: #

Nature/Name of the Sample

: **Watermelon**

Brand Name, if any

: Sanesa Yourganic

Laboratory Provided Information:

Sample Quantity

: 1x2.808kg, Polypack

Date of Performance of Test

: 19th - 24th Oct, 2023

Method of Sampling

: FL/SOP/B/D- 03

Sampling Picked by

: Mr. Tribhuvan (FARE Labs Representative) at the premises of Anucchista Krsikarana Private Limited

Analysis Report

S. No.	Parameter	Test Result	FSSR, 2011	Protocol
Pesticide Residues, mg/kg:				
55	Sulfentrazone and its metabolite	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
56	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
57	Sulfoxaflor	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/LCMS/P-02
58	Hydrogen Phosphide	BLQ, [LOQ-0.01]	NMT 0.01	FL/SOP/PEST-05
59	Hydrogen Cyanamide	BLQ, [LOQ-0.01]	Not Specified	FL/SOP/Pest-04

BLQ=Below Limit of Quantification; **LOQ**=Limit of Quantification; **NMT**=Not More Than

Inference: The sample conforms to the requirements of Food Safety and Standards Regulation, 2011 with respect to the above tested and specified parameters.


Reviewed By

Page 4 of 4


Authorised Signatory
D Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested not for the whole lot. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance, and not for legal purposes, commercial decision, and for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only. The recipient of this report is requested to kindly confirm with FARE Labs, the authenticity and genuineness of this report at report.confirmation@farelabs.com. FARE Labs is not responsible for any unconfirmed Test Report. If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227. The Sample is not drawn by FARELabs.

#: The details are received from Customer on its own responsibility. FARE Labs does not Confirm about it and hence does not take any responsibility whatsoever.

End of Report