

**ARBRO™**

PHARMACEUTICALS PRIVATE LIMITED

(ANALYTICAL DIVISION)

ISO 9001 : 2015 Certified

Govt. Approved Test House

CERTIFICATE OF ANALYSIS



Test Report No. 201906120166

Dated 12/06/2019



TC-7375

Issued to : SANESA NATURAL FARM LLP
H-113, Sushant Shopping Arcade, Adjacent Andhra Bank,
Sushant Lok Phase 1 Gurgaon HARYANA 122002

Customer Ref. No : NS, DATE : 11/06/2019
Sample Name : MANGO KESAR

Manufactured By : NS
Supplied By : SANESA NATURAL FARM LLP

Batch No. : NS
Manufacturing Date : NS
Expiry Date : NS
Mfg lic. No : NS
Purchase Order No. : NS
Sample Quantity : 1 Kg
Batch Size : NS
Sample Condition : Sealed
Date of Sample Receipt : 12/06/2019
Date of Analysis Started : 12/06/2019
Date of Analysis Completed : 27/06/2019
Reference to protocol : FSSR-2011
Sample Drawn by : Sample not drawn by laboratory.

Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
1	Description		GREENISH YELLOW COLOUR WHOLE MANGO		-	
2	Butachlor	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
3	Endosulfan I	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
4	Endosulfan Sulphate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
5	Alachlor	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
6	Ethion	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061

Authorized Signatory

Thursday, Jun 27, 2019

ULR - TC737519100017506P

Page 1 of 13

Unit 1 : 4/9, Kirti Nagar Industrial Area, New Delhi-15, INDIA. Tele : +91-11-45754575, Fax : +91-11-45854500

Email : arbrolab@arbropharma.com, Website : www.arbropharmaindia.com

*Terms & Conditions Overleaf

MOHIT TYAGI
Assistant Manager



ARBROTM

PHARMACEUTICALS PRIVATE LIMITED
(ANALYTICAL DIVISION)

ISO 9001 : 2015 Certified

Govt. Approved Test House

CERTIFICATE OF ANALYSIS



Test Report No. 201906120166

Dated 12/06/2019



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
7	Atrazine	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
8	Methyl Paraoxon	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
9	Azinophos - methyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
10	Bromopropylate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
11	Chlorpyrifos-methyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
12	Deltamethrin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
13	* Diazinon	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
14	Dichlorvos	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-061
15	Endrin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
16	Fonofos	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
17	Permethrin	mg/kg	Below Detection Limit	Max. 0.025	0.0050	APL/CHE/STP-061
18	* Phosalone	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063
19	* Pirimiphos-methyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
20	Methoxychlor	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
21	Fenitrothion	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
22	Heptachlor Epoxide	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
23	Amitraz	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
24	Bromophos-ethyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
25	Cyfluthrin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
26	Dichlofluanid	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
27	Fenpropathrin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
28	Flucythrinate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
29	* Phosmet	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
30	* Pirimiphos-ethyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061

Authorized Signatory

Thursday, Jun 27, 2019

ULR - TC737519100017506P

MOHIT TYAGI
Assistant Manager

**ARBRO™**PHARMACEUTICALS PRIVATE LIMITED
(ANALYTICAL DIVISION)

ISO 9001 : 2015 Certified

Govt. Approved Test House

CERTIFICATE OF ANALYSIS



Test Report No. 201906120166

Dated 12/06/2019



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
31	Procymidone	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
32	* Profenophos	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
33	* Prothiophos	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
34	* Quinalphos	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
35	Tecnazene	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
36	Tetradifon	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
37	Vinclozolin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
38	Captan	mg/kg	Below Detection Limit	Max. 0.75	0.0050	APL/CHE/STP-061
39	Bifenthrin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
40	Azinophos - ethyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
41	Fluvalinate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
42	Captafol	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
43	* Dimethoate	mg/kg	Below Detection Limit	Max. 0.10	0.0050	APL/CHE/STP-063
44	Chlorothalonil	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
45	Cyhalothrin-lambda	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
46	* Iprodione	mg/kg	Below Detection Limit	Max. 0.10	0.0050	APL/CHE/STP-063
47	Oxyfluorfen	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
48	Quintozene	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
49	Propanil	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
50	Trifluralin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
51	* Allethrin & Bioallethrin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
52	Transfluthrin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
53	* Benfuracarb	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
54	Tetraconazole	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061



Test Report No. 201906120166

Dated 12/06/2019



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
55	Bifenazate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
56	Chlorbenzilate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
57	Heptachlor	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
58	Dicofol	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
59	DDE-p,p	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
60	Chloropyrifos	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
61	Cyhalofop-butyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
62	Pretilachlor	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
63	Anilophos	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
64	Oxadiazyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
65	Chlordane, cis-	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
66	Chlordane, trans-	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
67	Metolachlor	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
68	Chlorfenapyr	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
69	Diclofop-methyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
70	Fenoxaprop-p-ethyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
71	Clodinafop-propanyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
72	Fenchlorofos	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
73	Fluchloralin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
74	Cypermethrin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
75	* Fenthion	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
76	Chlorfenvinphos	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
77	Fenvalerate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061

**ARBRO™**PHARMACEUTICALS PRIVATE LIMITED
(ANALYTICAL DIVISION)

ISO 9001 : 2015 Certified

Govt. Approved Test House

CERTIFICATE OF ANALYSIS

**Test Report No. 201906120166****Dated 12/06/2019**

Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
78	* Malathion (malathion to be determined and expr. as combined residues of malathion and malaoxon),	mg/kg	Below Detection Limit	Max. 0.15	0.0050	APL/CHE/STP-063
79	Carbaryl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
80	Monocrotophos	mg/kg	Below Detection Limit	Max. 0.01	0.0050	APL/CHE/STP-063
81	Isoproturon	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
82	Acephate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
83	Trichlorfon	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063
84	Carbendazim	mg/kg	Below Detection Limit	Max. 0.05	0.0050	APL/CHE/STP-063
85	Benomyl (as Carbendazim)	mg/kg	Below Detection Limit	Max. 0.05	0.0050	APL/CHE/STP-063
86	Edifenphos	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
87	Phenthoate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
88	Triazophos	mg/kg	Below Detection Limit	Max. 0.01	0.0050	APL/CHE/STP-063
89	Buprofezin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
90	Isoprothiolane	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
91	Imidacloprid	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
92	Tricyclazole	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
93	Tebufoenozide	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
94	Carbofuran (sum carbofuran & 3-hydroxyb carbofuran expressed as carbofuran)	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063
95	Methomyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
96	Acetamiprid	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
97	Metribuzin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
98	Penconazole	mg/kg	Below Detection Limit	Max. 0.01	0.0050	APL/CHE/STP-063

Authorized Signatory

Thursday, Jun 27, 2019

ULR - TC737519100017506P

MOHIT TYAGI
Assistant Manager

**ARBROTM**PHARMACEUTICALS PRIVATE LIMITED
(ANALYTICAL DIVISION)

ISO 9001 : 2015 Certified

Govt. Approved Test House

CERTIFICATE OF ANALYSIS

**Test Report No. 201906120166****Dated 12/06/2019**

Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
99	Thiophanate-methyl	mg/kg	Below Detection Limit	Max. 0.25	0.0050	APL/CHE/STP-063
100	Triadimenol	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
101	Thiamethoxam	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
102	Bitertanol	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
103	Fenarimol	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
104	Flusilazole	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
105	Hexythiazox	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
106	Kresoxim methyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
107	Metalaxyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
108	Myclobutanil	mg/kg	Below Detection Limit	Max. 0.05	0.0050	APL/CHE/STP-063
109	Paclobutrazol	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
110	Propargite	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
111	Propiconazole	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
112	Iprobenphos	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
113	Oxydemeton-methyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
114	Ethofenprox (Etofenprox)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
115	Carbosulfan	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
116	Indoxacarb	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063
117	Difenoconazole	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063
118	Fenamidon	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
119	* Famoxadone	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
120	Thiacloprid	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
121	Cymoxanil	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063
122	Dimethomorph	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063

Authorized Signatory

Thursday, Jun 27, 2019

ULR - TC737519100017506P



Test Report No. 201906120166

Dated 12/06/2019



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
123	Tridemorph	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063
124	Cartap Hydrochloride	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
125	Emamectin Benzoate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
126	Spinosad (sum of Spinosad A+D).	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063
127	Azoxystrobin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
128	Pyraclostrobin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
129	Trifloxystrobin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
130	Fenpyroximate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
131	Diffubenzuron	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
132	Novaluron	mg/kg	Below Detection Limit	Max. 0.01	0.0050	APL/CHE/STP-063
133	Pyriproxyfen	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
134	Thiometon	mg/kg	Below Detection Limit	Max. 0.01	0.0050	APL/CHE/STP-063
135	Fenobucarb	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
136	Thiodicarb	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
137	Cyazofamid	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
138	Dinotefuran	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
139	Flonicamid	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
140	Linuron	mg/kg	Below Detection Limit	Max. 0.01	0.0050	APL/CHE/STP-063
141	Lufenuron	mg/kg	Below Detection Limit	Max. 0.05	0.0050	APL/CHE/STP-063
142	Pencycuron	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
143	Chlorantraniliprole	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
144	Flufenacet	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
145	Dithianone	mg/kg	Below Detection Limit	Max. 0.01	0.0050	APL/CHE/STP-063
146	Dodine	mg/kg	Below Detection Limit	Max. 0.25	0.0050	APL/CHE/STP-063

**ARBRO™**PHARMACEUTICALS PRIVATE LIMITED
(ANALYTICAL DIVISION)

ISO 9001 : 2015 Certified

Govt. Approved Test House

CERTIFICATE OF ANALYSIS



Test Report No. 201906120166

Dated 12/06/2019



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
147	Fenazaquin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
148	Flubendiamide	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
149	Forchlorfenuron (CPPU)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
150	Mandipropamid	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
151	Oxadiazon	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
152	Spiromesifen	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
153	Carpropamid	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
154	Clomazone	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
155	* Cyhalofop-butyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
156	Pyrazosulfuran ethyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
157	Metalaxyl - M	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
158	Imazethapyr	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
159	Bensulfuron methyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
160	Sulfosulfuron	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
161	Chlorimuron-ethyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
162	Methabenzthiazuron	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
163	Triallate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
164	Ethoxysulfuron	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
165	Quizalofop-ethyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
166	* Fluchloralin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
167	Diafenthiuron	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
168	Carfentrazone ethyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
169	Metsulfuron-methyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
170	Etoazole	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063



Test Report No. 201906120166

Dated 12/06/2019



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
171	Fluopicolide	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
172	Fluopyram	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
173	Thiocyclam	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
174	Picoxystrobin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
175	Chlorfluazuron	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
176	Tolfenpyrad	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
177	* Triasulfuron	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
178	Phosphamidon	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063 BY LC-MS/MS
179	* Ferbam(as CS2)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-134
180	Simazine	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063 (By LC/MS/MS)
181	Metiram	mg/kg	Below Detection Limit	Max. 0.25	0.050	APL/CHE/STP-134
182	* Ethylene Bis-Dithiocarbamates resulting from the use of mancozeb, maneb or zineb(including zineb deri	mg/kg	Below Detection Limit	N.S	-	APL/CHE/STP-134
183	* Fosetyl-Al	mg/kg	Below Detection Limit	N.S	0.010	APL/CHE/STP-120
184	Glyphosate	mg/kg	Below Detection Limit	N.S	0.10	APL/CHE/STP-120
185	Paraquat-dichloride	mg/kg	Below Detection Limit	Max. 0.010	0.010	APL/CHE/STP-120
186	2,4-Dichlorophenoxyacetic Acid (2,4-D)	mg/kg	Below Detection Limit	Max. 0.010	0.0020	APL/CHE/STP-120
187	* Glufosinate-ammonium	mg/kg	Below Detection Limit	N.S	0.10	APL/CHE/STP-120
188	* Copper Oxychloride cal. as Cu	mg/kg	0.629	Max. 1.0	0.080	APL/CHE/STP-085
189	Abamectin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
190	Bentazone	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
191	* Imazamox	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063



ARBRO™

PHARMACEUTICALS PRIVATE LIMITED
(ANALYTICAL DIVISION)

ISO 9001 : 2015 Certified

Govt. Approved Test House

CERTIFICATE OF ANALYSIS



Test Report No. 201906120166

Dated 12/06/2019



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
192	Cyflumetofen	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
193	Fluxapyroxad	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
194	Metrafenone	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
195	* Spirotetramat	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
196	* Boscalid	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
197	* Validamycin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
198	* Tembotrione	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
199	* Topramezone	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
200	* Thiocyclam hydrogen oxalate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
201	* Fomesafen	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
202	* Spinetoram and its metabolites	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
203	* Sodium para nitro phenolate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
204	* Haloxyfop-R-Methyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
205	* Fluopyram and its metabolites	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
206	* Flucetosulfuron	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
207	* Sulfentrazone and its metabolites	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
208	Phorate (sum of phorate, its O2 analogue & their sulfoxides & sulphones, expr.as phorate)	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063
209	Tebuconazole	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
210	* Thiometon (residues determined as thiometon, its sulfoxide & sulphone expr. as thiometon)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
211	* Pymetrozine	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
212	* Triacontanol	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063



ARBROTM

PHARMACEUTICALS PRIVATE LIMITED

(ANALYTICAL DIVISION)

ISO 9001 : 2015 Certified

Govt. Approved Test House

CERTIFICATE OF ANALYSIS



Test Report No. 201906120166

Dated 12/06/2019



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
213	* Penoxuslum	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
214	* Prohexadione calcium	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
215	* Propaquizafof	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
216	* Pyrithiolac sodium	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
217	* Sodium aceflourofen	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
218	* Thifluzamide	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
219	* Pyridalyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
220	* Quizalofop-p-tefuryl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
221	* Pinoxaden	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
222	D.D.T. (the limits apply to D.D.T,D.D.D. and D.D.E. singly or in any combination)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
223	Propineb	mg/kg	Below Detection Limit	Max. 0.025	0.050	APL/CHE/STP-134
224	* Aldicarb (sum of Aldicarb its sulphoxide and sulphone, expressed as aldicarb)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
225	Aldrin,dieldrin (limits apply to aldrin & dieldrin singly/ in any combination & are exp.as dieldrin)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
226	Chlordane (residue to be measured as cis plus trans chlordane)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
227	* Chlorfenvinphos(residues to be measured as alpha and beta isomers of chlorfenvinphos)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
228	Chlormequat Chloride (CCC)	mg/kg	Below Detection Limit	Max. 0.05	0.0050	APL/CHE/STP-120
229	DDD-P,P	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
230	DDE-p,p	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061

Authorized Signatory

Thursday Jun 27, 2019

ULR - TC737519100017506P



Govt. Approved Test House

CERTIFICATE OF ANALYSIS

Test Report No. 201906120166

Dated 12/06/2019



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
231	DDT-o,p	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
232	DDT-p,p	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
233	DDD - o,p'	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
234	DDE - o,p'	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
235	* Parathion (combined residues of parathion & paraoxon to be determined & expressed as parathion)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
236	Parathion methyl (combined residues of parathion methyl & its oxygen analogue to be determined & exp.	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
237	* Phosphamidon residues (expr. as the sum of phosphamidon and its desethyl derivative)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
238	* Kitazin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
239	* Pyrethrins (sum of Pyrethrins I&II & other structurally related insecticide ingred.of pyrethrum),	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
240	Endosulfan (residues are measured and reported as total of endosulfan A & B and endosulfan sulphate)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
241	* Ethion (residues to be determined as ethion and its oxygen analogue & exp. as ethion)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
242	Chlorpyrifos	mg/kg	Below Detection Limit	Max. 0.025	0.0050	APL/CHE/STP-061
243	* 1-Naphthylacetic acid (Alphanaphthyl acetic acid)	mg/kg	Below Detection Limit	Max. 0.025	0.0050	APL/CHE/STP-120
244	Dithiocarbamates (residue tol. limits are determined & exp.as mg/CS2/kg & refer separately to the res	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-134



Test Report No. 201906120166

Dated 12/06/2019




Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
245	Endosulfan II	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
246	* Fenthion(sum of fenthion, its O2 analogue & their sulphoxides & sulphones, expr. as fenthion),.	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
247	* Formothion(determines as dimethoate & its O analogue & exp. as dimethoate except in case of citrus f	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
248	Hexachlorocyclohexane & its isomers; (a) Alfa isomer	mg/kg	Below Detection Limit	Max. 0.05	0.0050	APL/CHE/STP-061
249	Hexachlorocyclohexane & its isomers; (C) Gamma isomer: known as lindane	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
250	Maleic Hydrazide	mg/kg	Below Detection Limit	Max. 0.75	0.10	APL/CHE/STP-120
251	Ethephon	mg/kg	Below Detection Limit	N.S	0.050	APL/CHE/STP-120
252	Inorganic Bromide (determined and exp. as total bromide from all sources).	mg/kg	Below detection limit	Max. 1.50	0.050	APL/CHE/STP-127
253	Triadimefon	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063
254	Malaoxon	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
255	Pendimethalin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
256	Chlorothalonil	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
257	Diuron	mg/kg	Below Detection Limit	N.S	0.010	APL/CHE/STP-063
258	Fipronil sulfone	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063

Note : The test marked with * are not accredited by NABL

Report PARTY ASKED FOR THE ABOVE TESTS ONLY

Page 13 of 13



Authorized Signatory

Thursday, Jun 27, 2019

ULR - TC737519100017506P

MOHIT TYAGI

Assistant Manager

Unit 1 : 4/9, Kirti Nagar Industrial Area, New Delhi-15, INDIA. Tele : +91-11-45754575, Fax : +91-11-45754575

Email : arbrolab@arbropharma.com, Website : www.arbropharmaindia.com

*Terms & Conditions Overleaf