

**ARBRO™**

PHARMACEUTICALS PRIVATE LIMITED

(ANALYTICAL DIVISION)

ISO 9001 : 2015 Certified

Govt. Approved Test House

CERTIFICATE OF ANALYSIS



TC-7375

Test Report No. 201906120164

Dated 12/06/2019



Issued to

: SANESA NATURAL FARM LLP

H-113, Sushant Shopping Arcade, Adjacent Andhra Bank,
Sushant Lok Phase 1 Gurgaon HARYANA 122002

Customer Ref. No

: NS, DATE : 11/06/2019

Sample Name

: GUAVA

Manufactured By

: NS

Supplied By

: SANESA NATURAL FARM LLP

Batch No.

: NS

Manufacturing Date

: NS

Expiry Date

: NS

Mfg lic. No

: NS

Purchase Order No.

: NS

Sample Quantity

: 1 Kg

Batch Size

: NS

Sample Condition

: Sealed

Date of Sample Receipt

: 12/06/2019

Date of Analysis Started

: 12/06/2019

Date of Analysis Completed


: 27/06/2019

Reference to protocol

FSSR-2011

Sample Drawn by

Sample not drawn by laboratory.



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
1	Description		BROWNISH YELLOW COLOUR WHOLE GUAVA		-	
2	Butachlor	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
3	Endosulfan I	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
4	Endosulfan Sulphate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
5	Alachlor	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
6	Ethion	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061

Page 1 of 13

Authorized Signatory

Thursday, Jun 27, 2019

ULR - TC737519100017508P

Unit 1 : 4/9, Kirti Nagar Industrial Area, New Delhi-15, INDIA. Tele : +91-11-45754575, Fax : +91-11-45854500

Email : arbrolab@arbropharma.com, Website : www.arbropharmaindia.com

*Terms & Conditions Overleaf

MOHIT TYAGI
Assistant Manager

**ARBRO™**PHARMACEUTICALS PRIVATE LIMITED
(ANALYTICAL DIVISION)

ISO 9001 : 2015 Certified

Govt. Approved Test House

CERTIFICATE OF ANALYSIS

Test Report No. 201906120164

Dated 12/06/2019



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
7	Atrazine	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
8	Methyl Paraoxon	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
9	Malaoxon	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
10	Azinophos - methyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
11	Bromopropylate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
12	Chlorpyrifos-methyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
13	Deltamethrin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
14	* Diazinon	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
15	Dichlorvos	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-061
16	Endrin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
17	Fonofos	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
18	Permethrin	mg/kg	Below Detection Limit	Max. 0.025	0.0050	APL/CHE/STP-061
19	* Phosalone	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-061
20	* Pirimiphos-methyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
21	Methoxychlor	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
22	Fenitrothion	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
23	Heptachlor Epoxide	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
24	Amitraz	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
25	Bromophos-ethyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
26	Cyfluthrin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
27	Dichlofluanid	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
28	Fenpropathrin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
29	Flucythrinate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
30	* Pendimethalin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061

Page 2 of 13

Authorized Signatory

Thursday, Jun 27, 2019

ULR - TC737519100017508P

MOHIT TYAGI
Assistant ManagerUnit 1 : 4/9, Kirti Nagar Industrial Area, New Delhi-15, INDIA. Tele : +91-11-45754575, Fax : +91-11-45754576
Email : arbrolab@arbropharma.com, Website : www.arbropharmaindia.com

*Terms & Conditions Overleaf

**ARBRO**TMPHARMACEUTICALS PRIVATE LIMITED
(ANALYTICAL DIVISION)

ISO 9001 : 2015 Certified

Govt. Approved Test House

CERTIFICATE OF ANALYSIS

Test Report No. 201906120164

Dated 12/06/2019



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
31	* Phosmet	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
32	* Pirimiphos-ethyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
33	Procymidone	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
34	* Profenophos	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
35	* Prothiophos	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
36	* Quinalphos	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
37	Tecnazene	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
38	Tetradifon	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
39	Vinclozolin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
40	Captan	mg/kg	Below Detection Limit	Max. 0.75	0.0050	APL/CHE/STP-061
41	Bifenthrin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
42	Azinophos - ethyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
43	Fluvalinate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
44	Captafol	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
45	* Dimethoate	mg/kg	Below Detection Limit	Max. 0.10	0.0050	APL/CHE/STP-063
46	Hexaconazole	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-061
47	Chlorothalonil	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
48	Cyhalothrin-lambda	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
49	* Iprodione	mg/kg	Below Detection Limit	Max. 0.10	0.0050	APL/CHE/STP-061
50	Oxyfluorfen	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
51	Quintozene	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
52	Propanil	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
53	Trifluralin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
54	* Allethrin & Bioallethrin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061

**ARBRO™**PHARMACEUTICALS PRIVATE LIMITED
(ANALYTICAL DIVISION)

ISO 9001 : 2015 Certified

Govt. Approved Test House

CERTIFICATE OF ANALYSIS

Test Report No. 201906120164

Dated 12/06/2019



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
55	Transfluthrin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
56	* Benfuracarb	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
57	Tetraconazole	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
58	Bifenazate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
59	Chlorbenzilate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
60	Heptachlor	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
61	Dicofol	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
62	DDE-p,p	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
63	Chloropyrifos	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
64	Cyhalofop-butyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
65	Pretilachlor	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
66	Anilophos	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
67	Oxadiazinyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
68	Chlordane, cis-	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
69	Chlordane, trans-	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
70	Metolachlor	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
71	Chlorfenapyr	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
72	Dicofop-methyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
73	Fenoxaprop-p-ethyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
74	Clodinafop-proparyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
75	Fipronil sulfone	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
76	Fenchlorofos	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
77	Fluchloralin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
78	Cypermethrin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061

Page 4 of 13

Authorized Signatory

Thursday, Jun 27, 2019

ULR - TC737519100017508P

Unit 1 : 4/9, Kirti Nagar Industrial Area, New Delhi-15, INDIA. Tele : +91-11-45754575, Fax : +91-11-45854575

Email : arbrolab@arbropharma.com, Website : www.arbropharmaindia.com

*Terms & Conditions Overleaf

MOHIT TYAGI
Assistant Manager

**ARBRO™**PHARMACEUTICALS PRIVATE LIMITED
(ANALYTICAL DIVISION)

ISO 9001 : 2015 Certified

Govt. Approved Test House

CERTIFICATE OF ANALYSIS

Test Report No. 201906120164

Dated 12/06/2019



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
79	* Fenthion	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
80	Chlorfenvinphos	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
81	Fenvalerate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
82	* Malathion (malathion to be determined and expr. as combined residues of malathion and malaoxon),	mg/kg	Below Detection Limit	Max. 0.15	0.0050	APL/CHE/STP-063 (By LC/MS/MS)
83	Carbaryl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
84	Monocrotophos	mg/kg	Below Detection Limit	Max. 0.01	0.0050	APL/CHE/STP-063
85	Isoprothuron	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
86	Acephate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
87	Trichlorfon	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063
88	Carbendazim	mg/kg	Below Detection Limit	Max. 0.05	0.0050	APL/CHE/STP-063
89	Benomyl (as Carbendazim)	mg/kg	Below Detection Limit	Max. 0.05	0.0050	APL/CHE/STP-063
90	Edifenphos	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
91	Phenthoate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
92	Triazophos	mg/kg	Below Detection Limit	Max. 0.01	0.0050	APL/CHE/STP-063
93	Buprofezin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
94	Isoprothiolane	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
95	Imidacloprid	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
96	Tricyclazole	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
97	Tebufozide	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
98	Carbofuran (sum carbofuran & 3-hydroxyb carbofuran expressed as carbofuran)	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063
99	Methomyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063

**ARBRO™**PHARMACEUTICALS PRIVATE LIMITED
(ANALYTICAL DIVISION)

ISO 9001 : 2015 Certified

Govt. Approved Test House

CERTIFICATE OF ANALYSIS

Test Report No. 201906120164

Dated 12/06/2019



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
100	Acetamiprid	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
101	Diuron	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063
102	Metribuzin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
103	Penconazole	mg/kg	Below Detection Limit	Max. 0.01	0.0050	APL/CHE/STP-063
104	Thiophanate-methyl	mg/kg	Below Detection Limit	Max. 0.25	0.0050	APL/CHE/STP-063
105	Triadimenol	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
106	Thiamethoxam	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
107	Bitertanol	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
108	Fenarimol	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
109	Flusilazole	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
110	Hexythiazox	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
111	Kresoxim methyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
112	Metalaxyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
113	Myclobutanil	mg/kg	Below Detection Limit	Max. 0.05	0.0050	APL/CHE/STP-063
114	Paclobutrazol	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
115	Propargite	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
116	Propiconazole	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
117	Iprobenphos	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
118	Oxydemeton-methyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
119	Ethofenprox (Etofenprox)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
120	Carbosulfan	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
121	Indoxacarb	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063
122	Difenoconazole	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063
123	Fenamidone	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063

Test Report No. 201906120164

Dated 12/06/2019



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
124	* Famoxadone	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
125	Thiacloprid	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
126	Cymoxanil	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063
127	Dimethomorph	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063
128	Tridemorph	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063
129	Cartap Hydrochloride	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
130	Eamectin Benzoate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
131	Spinosad (sum of Spinosad A+D).	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063
132	Azoxystrobin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
133	Pyraclostrobin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
134	Trifloxystrobin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
135	Fenpyroximate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
136	Diffubenzuron	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
137	Novaluron	mg/kg	Below Detection Limit	Max. 0.01	0.0050	APL/CHE/STP-063
138	Pyriproxyfen	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
139	Thiometon	mg/kg	Below Detection Limit	Max. 0.01	0.0050	APL/CHE/STP-063
140	Fenobucarb	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
141	Thiodicarb	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
142	Cyazofamid	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
143	Dinotefuran	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
144	Flonicamid	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
145	Linuron	mg/kg	Below Detection Limit	Max. 0.01	0.0050	APL/CHE/STP-063
146	Lufenuron	mg/kg	Below Detection Limit	Max. 0.05	0.0050	APL/CHE/STP-063
147	Pencycuron	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063

Test Report No. 201906120164

Dated 12/06/2019



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
148	Chlorantraniliprole	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
149	Flufenacet	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
150	Dithianone	mg/kg	Below Detection Limit	Max. 0.01	0.0050	APL/CHE/STP-063
151	Dodine	mg/kg	Below Detection Limit	Max. 0.25	0.0050	APL/CHE/STP-063
152	Fenazaquin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
153	Flubendiamide	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
154	Forchlorfenuron (CPPU)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
155	Mandipropamid	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
156	Oxadiazon	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
157	Spiromesifen	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
158	Carpropamid	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
159	Clomazone	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
160	* Cyhalofop-butyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
161	Pyrazosulfuran ethyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
162	Metalaxyl - M	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
163	Imazethapyr	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
164	Bensulfuron methyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
165	Sulfosulfuron	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
166	Chlorimuron-ethyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
167	Methabenzthiazuron	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
168	Triallate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
169	Ethoxysulfuron	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
170	Quizalofop-ethyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
171	* Fluchloralin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063

**ARBRO™**PHARMACEUTICALS PRIVATE LIMITED
(ANALYTICAL DIVISION)

ISO 9001 : 2015 Certified

Govt. Approved Test House

CERTIFICATE OF ANALYSIS

Test Report No. 201906120164

Dated 12/06/2019



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
172	Diafenthuron	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
173	Carfentrazone ethyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
174	Metsulfuron-methyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
175	Etoxazole	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
176	Fluopicolide	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
177	Fluopyram	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
178	Thiocyclam	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
179	Picoxystrobin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
180	Chlorfluazuron	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
181	Tolfenpyrad	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
182	* Triasulfuron	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
183	Phosphamidon	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063 BY LC-MS/MS
184	* Ferbam(as CS2)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-134
185	Simazine	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063 (By LC/MS/MS)
186	Metiram	mg/kg	Below Detection Limit	Max. 0.25	0.050	APL/CHE/STP-134
187	* Ethylene Bis-Dithiocarbamates resulting from the use of mancozeb, maneb or zineb(including zineb deri	mg/kg	Below Detection Limit	N.S	-	APL/CHE/STP-134
188	* Fosetyl-Al	mg/kg	Below Detection Limit	N.S	0.010	APL/CHE/STP-120
189	Glyphosate	mg/kg	Below Detection Limit	N.S	0.10	APL/CHE/STP-120
190	Paraquat-dichloride	mg/kg	Below Detection Limit	Max. 0.010	0.010	APL/CHE/STP-120
191	2,4-Dichlorophenoxyacetic Acid (2,4-D)	mg/kg	Below Detection Limit	Max. 0.010	0.0020	APL/CHE/STP-120
192	* Glufosinate-ammonium	mg/kg	Below Detection Limit	N.S	0.010	APL/CHE/STP-120
193	* Copper Oxychloride cal. as Cu	mg/kg	0.492	Max. 1.0	0.080	APL/CHE/STP-085

Test Report No. 201906120164

Dated 12/06/2019



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
194	Abamectin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
195	Bentazone	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
196	* Imazamox	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
197	Cyflumetofen	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
198	Fluxapyroxad	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
199	Metrafenone	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
200	* Spirotetramat	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
201	* Boscalid	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
202	* Validamycin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
203	* Tembotrione	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
204	* Topramezone	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
205	* Thiocyclam hydrogen oxalate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
206	* Fomesafen	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
207	* Spinetoram and its metabolites	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
208	* Sodium para nitro phenolate	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
209	* Haloxyfop-R-Methyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
210	* Fluopyram and its metabolites	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
211	* Flucetosulfuron	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
212	* Sulfentrazone and its metabolites	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
213	Phorate (sum of phorate, its O2 analogue & their sulfoxides & sulphones, expr.as phorate	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063
214	Tebuconazole	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063

**ARBRO™**PHARMACEUTICALS PRIVATE LIMITED
(ANALYTICAL DIVISION)

ISO 9001 : 2015 Certified

Govt. Approved Test House

CERTIFICATE OF ANALYSIS

Test Report No. 201906120164

Dated 12/06/2019



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
215	* Thiometon (residues determined as thiometon, its sulfoxide & sulphone expr. as thiometon)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
216	* Pymetrozine	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
217	* Triaccontanol	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
218	* Penoxuslum	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
219	* Prohexadione calcium	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
220	* Propaquizafop	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
221	* Pyriethiolac sodium	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
222	* Sodium acefloufen	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
223	* Thifluzamide	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
224	* Pyridalyl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
225	* Quizalofop-p-tefuryl	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
226	* Pinoxaden	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
227	D.D.T. (the limits apply to D.D.T,D.D.D. and D.D.E. singly or in any combination)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
228	Propineb	mg/kg	Below Detection Limit	Max. 0.025	0.050	APL/CHE/STP-134
229	* Aldicarb (sum of Aldicarb its sulfoxide and sulphone, expressed as aldicarb)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
230	Aldrin,dieldrin (limits apply to aldrin & dieldrin singly/ in any combination & are exp.as dieldrin)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
231	Chlordane (residue to be measured as cis plus trans chlordane)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061

**ARBRO™**

PHARMACEUTICALS PRIVATE LIMITED

(ANALYTICAL DIVISION)

ISO 9001 : 2015 Certified

Govt. Approved Test House

CERTIFICATE OF ANALYSIS

Test Report No. 201906120164

Dated 12/06/2019



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
232	* Chlorfenvinphos (residues to be measured as alpha and beta isomers of chlorfenvinphos)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
233	* Chloromequat Chloride (CCC)	mg/kg	Below Detection Limit	Max. 0.05	0.050	APL/CHE/STP-120
234	DDD-P,P	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
235	DDE-p,p	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
236	DDT-o,p	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
237	DDT-p,p	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
238	DDD - o,p'	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
239	DDE - o,p'	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
240	* Parathion (combined residues of parathion & paraoxon to be determined & expressed as parathion)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
241	Parathion methyl (combined residues of parathion methyl & its oxygen analogue to be determined & exp)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
242	* Phosphamidon residues (expr. as the sum of phosphamidon and its desethyl derivative)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
243	* Kitazin	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
244	* Pyrethrins (sum of Pyrethrins I&II & other structurally related insecticide ingred. of pyrethrum).	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
245	Endosulfan (residues are measured and reported as total of endosulfan A & B and endosulfan sulphate)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061

**ARBRO™**

PHARMACEUTICALS PRIVATE LIMITED

(ANALYTICAL DIVISION)

ISO 9001 : 2015 Certified

Govt. Approved Test House

CERTIFICATE OF ANALYSIS

Test Report No. 201906120164

Dated 12/06/2019



Sr.No.	Parameters	Unit	Test Result	Requirements	LOD/LLOQ	Method
246	* Ethion (residues to be determined as ethion and its oxygen analogue & exp. as ethion)	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
247	Chlorpyrifos	mg/kg	Below Detection Limit	Max. 0.025	0.0050	APL/CHE/STP-061
248	* 1-Naphthylacetic acid (Alphanaphthyl acetic acid)	mg/kg	Below Detection Limit	Max. 0.025	0.020	APL/CHE/STP-120
249	Dithiocarbamates (residue tol. limits are determined & exp. as mg/CS2/kg & refer separately to the res.	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-134
250	Endosulfan II	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
251	* Fenthion(sum of fenthion, its O2 analogue & their sulphoxides & sulphones, expr. as fenthion),.	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
252	* Formothion(determines as dimethoate & its O analogue & exp. as dimethoate except in case	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-063
253	Hexachlorocyclohexane & its isomers; (a) Alfa isomer	mg/kg	Below Detection Limit	Max. 0.05	0.0050	APL/CHE/STP-061
254	Hexachlorocyclohexane & its isomers; (C) Gamma isomer; known as lindane	mg/kg	Below Detection Limit	N.S	0.0050	APL/CHE/STP-061
255	Maleic Hydrazide	mg/kg	Below Detection Limit	Max. 0.75	0.10	APL/CHE/STP-120
256	Ethephon	mg/kg	Below Detection Limit	N.S	0.050	APL/CHE/STP-120
257	Inorganic Bromide (determined and exp. as total bromide from all sources).	mg/kg	Below detection limit	Max. 1.50	0.050	APL/CHE/STP-127
258	Triadimefon	mg/kg	Below Detection Limit	Max. 0.0050	0.0050	APL/CHE/STP-063

Note : The test marked with * are not accredited by NABL

Report PARTY ASKED FOR THE ABOVE TESTS ONLY

Page 13 of 13

Authorized Signatory

Thursday, Jun 27, 2019

ULR - TC737519100017508P

Unit 1 : 4/9, Kirti Nagar Industrial Area, New Delhi-15, INDIA. Tele : +91-11-45754575, Fax : +91-11-45834500

Email : arbrolab@arbropharma.com, Website : www.arbropharmaindia.com

MOHIT TYAGI
Assistant Manager

*Terms & Conditions Overleaf